

Listing of th Claims:

1. (Currently amended) A cleaning apparatus comprising:
a paddle;
a receiver carried on the paddle;
a cleaning element removably affixed to the paddle;
a handle having a tubular first end portion ~~pivotally mountable in the receiver, the handle having~~ and a second user engagable end; and
a handle connector in the form of a loop extending from the first end portion of the handle, the handle connector including an end portion adapted to be received in the receiver in a releasable snap connection, the end portion of the handle connector including portions of the loop at each end thereof, the portions of the loop defining a means, integrally carried on the first end portion for preventing lateral disengagement of the handle from the receiver.
2. (Withdrawn) The cleaning apparatus of claim 1 wherein:
element has an elastic end defining an expandable and retractable opening;
a plate fixed to the paddle; and
the elastic end of the cleaning element mountable over the plate.
3. (Withdrawn) The cleaning apparatus of claim 2 wherein the plate traps the elastic end of the cleaning element between the plate and the paddle.
4. (Withdrawn) The cleaning apparatus of claim 2 wherein:
the plate is welded to the paddle.
5. (Withdrawn) The cleaning apparatus of claim 4 further comprising:
at least one sacrificial projection formed on one of the plate and the paddle; and
at least one recess formed in the other of the plate and the paddle and positioned to be fixedly joinable to the projection by welding.

Application Serial No. 09/629,721
Date January 15, 2004
Reply to Office Action dated July 16, 2003

Page 3 of 9

6. (Withdrawn) The cleaning apparatus of claim 5 further comprising:
a plurality of complementary shaped and positioned projections and recesses.
7. (Withdrawn) The cleaning apparatus of claim 2 further comprising:
a fluid absorbent pad mounted between the cleaning element and plate.
8. (Original) The cleaning apparatus of claim 1 wherein:
the cleaning element is formed of a rough textured material to form a scrubbing surface.
9. (Withdrawn) The cleaning apparatus of claim 1 further comprising:
means for pivotally connecting the handle to the paddle for pivotal movement in the handle along at least one axis, the mounting means including:
a ball element carried at one end of the handle;
the receiver having an interior cavity opening at one end through the paddle;
a plug lockingly mountable in the interior cavity in the receiver, the plug moveably trapping the ball in the internal cavity.
10. (Withdrawn) The cleaning apparatus of claim 9 wherein:
the plug is releasably lockable in the receiver.
11. (Withdrawn) The cleaning apparatus of claim 9 wherein:

Application Serial No. 09/629,721

Page 4 of 9

Date January 15, 2004

Reply to Office Action dated July 16, 2003

the receiver includes diametrically opposed slots allowing pivotal movement of the handle along one axis relative to the receiver.

12. (Canceled)

13. (Currently Amended) The cleaning apparatus of claim 1 wherein the receiver includes:

a first bore portion rotatably receiving the ~~first end of the handle end~~
portion of the handle connector; and

a clip end defined by two spaced walls extending from a base portion, the two spaced walls spaced a smaller distance apart than a diameter of the first end of the handle.

14. (Withdrawn) The cleaning apparatus of claim 1 further comprising:

the handle having a bore at a first end;

the receiver formed of two arms projecting from the paddle, each arm having an aperture extending therethrough;

a handle connector including a tubular member having a U-shaped end defined by an end wall and two legs projecting from the end wall;

ends of the legs extending laterally from each leg and pivotally mountable in the apertures in the arms; and

the two legs nominally spaced a greater distance apart than the diameter of the bore in the first end of the housing for compression mounting of the tubular member in the bore in the handle.

15. (Withdrawn) The cleaning apparatus of claim 1 wherein the receiver comprises:

a base fixed to the paddle;

Application Serial No. 09/629,721
Date January 15, 2004
Reply to Office Action dated July 16, 2003

Page 5 of 9

a moveable portion hingedly connected to the base and moveable between first closed position overlaying base and a second open position spaced from the base;

complementary recesses formed in the base and the moveable portion, the recesses defining a bore when the moveable member is in the second closed position for pivotally receiving a first end of the handle; and

means for catching the moveable portion in the second closed position to the base.

16. (Withdrawn) The cleaning apparatus of claim 15 wherein the latching means comprises:

a magnet formed in one of the base and the moveable portion; and
a metallic member in the other of the base and the moveable portion.

17. (Withdrawn) The cleaning apparatus of claim 15 further comprising:

a projection on the moveable member facilitating movement of the moveable member between the first and second position.

18. (Currently amended) A cleaning system adapted for cleaning and drying surfaces, the system comprising:

a plurality of interchangeably useable paddles, at least certain of the paddles having a different shape;

at least one handle having a tubular first end portion and a second user engagable end;

a receiver mounted on one surface of each paddle, ~~the receiver adapted for pivotally receiving a first end of the handle; and~~

a handle connector in the form of a loop extending from the first end portion of the handle, the handle connector including an end portion adapted to be

Application Serial No. 09/629,721

Page 6 of 9

Date January 15, 2004

Reply to Office Action dated July 16, 2003

received in the receiver in a releasable snap connection, the end portion of the handle connector including portions of the loop at each end thereof, the portions of the loop defining a means for preventing lateral disengagement of the handle from the receiver; and

a plurality of cleaning elements, each removably attachable one at a time to one of the paddles, at least one of the cleaning elements having elastic means forming side edges of the cleaning element into a closed opening, nominally smaller than the outer peripheral surface dimensions of each of the paddles; and

whereby:

the handle, one of the plurality of paddles, and one of the cleaning elements being are releasably engagable to form a cleaning apparatus for cleaning a surface.

19. (Cancelled)

Application Serial No. 09/629,721
Date January 15, 2004
Reply to Office Action dated July 16, 2003

Page 7 of 9

Amendments to the Drawings:

The attached sheets of drawings includes changes to Fig. 11.

Correction to Fig. 11 was previously submitted and approved by the Examiner.

These sheets replace the original sheets including Figs. 1-15 all previously submitted and approved by Examiner.

Attachment: Replacement Sheet(s)